

R

INDEX MAPS.

T. 16 N. R. 9 W. 2nd Mer.

Meanders - 359

| | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|----|-----|----|-----|----|-----|
| | 359 | 355 | 354 | 354 | 353 | 353 | | | | | | |
| 337 | 6 | 358 | 5 | 353 | 4 | 349 | 3 | 345 | 2 | 341 | 1 | 332 |
| | 358 | 358 | 352 | 349 | 345 | 340 | | | | | | |
| 336 | 7 | 357 | 8 | 352 | 9 | 348 | 10 | 344 | 11 | 340 | 12 | 332 |
| | 357 | 357 | 352 | 348 | 344 | 339 | | | | | | |
| 336 | 18 | 356 | 17 | 351 | 16 | 348 | 15 | 344 | 14 | 339 | 13 | 332 |
| | 356 | 355 | 351 | 347 | 343 | 339 | | | | | | |
| 336 | 19 | 355 | 20 | 351 | 21 | 347 | 22 | 343 | 23 | 338 | 24 | 332 |
| | 355 | 354 | 350 | 347 | 342 | 338 | | | | | | |
| 335 | 30 | 354 | 29 | 350 | 28 | 346 | 27 | 342 | 26 | 338 | 25 | 331 |
| | 354 | 353 | 350 | 346 | 342 | 337 | | | | | | |
| 335 | 31 | 353 | 32 | 349 | 33 | 345 | 34 | 341 | 35 | 337 | 36 | 331 |
| | 330 | 330 | 331 | 329 | 329 | 329 | | | | | | 330 |

T. 1 N. R. 10 W. 2nd Mer.

Meanders - 397

| | 373 | 372 | 372 | 371 | 371 | 370 | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 375 | 6 | 394 | 5 | 392 | 4 | 391 | 3 | 388 | 2 | 385 | 1 | 370 |
| | 394 | 394 | 392 | 390 | 388 | 385 | | | | | | |
| 375 | 7 | 393 | 8 | 392 | 9 | 390 | 10 | 387 | 11 | 384 | 12 | 369 |
| | 395 | 393 | 391 | 390 | 387 | 384 | | | | | | |
| 374 | 18 | 393 | 17 | 391 | 16 | 389 | 15 | 387 | 14 | 384 | 13 | 369 |
| | 395 | 393 | 389 | 389 | 386 | 376 | | | | | | |
| 374 | 19 | 395 | 20 | 388 | 21 | 381 | 22 | 386 | 23 | 384 | 24 | 368 |
| | 396 | 396 | 381 | 380 | 379 | 376 | | | | | | |
| 374 | 30 | 29 | 382 | 28 | 380 | 27 | 379 | 26 | 378 | 25 | 368 | |
| | 377 | | | | | | | | | | | |
| 373 | 31 | 32 | 33 | 34 | 35 | 36 | | | | | | 367 |
| | 367 | 366 | 366 | 365 | 365 | 365 | | | | | | |

The figures on the lines refer to the page.

Township N. 1 North, Range N. 10 West 2. Mer. Ind.

South Boundary or Base line.

Met On S. boundary of Sec. 36, T. 1 N. R. 10 W

7.30 a Brook 8 lks. wide Course S. E.

31.26 a Hickory 20 in. diam.

40.00 Set q. Sec. post, from which

a Beech 24 in. diam. bear S 67° W 38 lks. dist. of

a Gum 18 " " " N 43° E 39 " "

79.60 a Beech 16 " " "

80.00 Set first Cor. to Sec. 35 & 36, from which

a Beech 15 in. diam. bear N 49° W 28 lks. dist. of

a Poplar 16 " " " S 42° W 18 " "

This mile ridge, timber Beech, Oak, Poplar
Hickory &c. underth Spruce & Dogwood

Met On S. Boundary of Sec. 35

2.10 a Brook 16 lks. wide Course S.

7.20 a Gum 18 in. diam.

16.20 a Brook 4 lks. wide Course S.

19.20 a Do 4 " " " S. E.

35.10 a Road Course S 30° W

39.20 a Sugar tree 20 in. diam.

40.00 Set q. Sec. post, from which

a Beech 8 in. diam. bear S 54° W 25 lks. dist. of

a Sugar 14 " " " N 35° W 29 " "

43.40 a Brook 8 lks. wide Course S.

51.00 a Brook 4 lks. " " " S.

73.60 a Do. 4 " " " S.

73.82 a Beech 18 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which

a Sugar 9 in. diam. bear N 12° E 25 lks. dist. of

a do 7 " " " S 11° E 26 " "

This mile uneven land soil good timber Beech
Sugar, Ash, underth Spruce

Met On S. Boundary of Sec. 34

8.40 a Brook 6 lks. wide Course South

S. N. T. 10 W. 2. Mer. Ind.

ch. P. 16.

16.60 a Brook 3 lks. wide Course S.

17.88 a Poplar 30 in. diam.

22.30 a Run 4 lks. wide Course S.

35.90 a Beech 30 in. diam.

36.70 a Brook 8 lks. wide Course S 20 E.

40.00 Set of Sec. post, from which
a Sugar tree 10 in. diam. branch N 30 1/2 E 10 lks. dist. of
a Gum 12 " " " S 47 1/2 E 20 " "

48.10 a Brook 6 lks. wide Course S. E.

59.10 a Hickory 20 in. diam.

80.00 Set post Cor. to Sec. 33 & 34, from which
a W. Ash 12 in. diam. branch N 51 E 17 lks. dist. of
a Do. 12 " " " S 56 W 28 " "
This mile uneven brushy Beech timber land

West On S. Boundary of Sec. 33

0.87 a B. Walnut 22 in. diam.

22.90 a Brook 8 lks. wide Course N. E.

40.00 Set of Sec. post, from which
a Beech 12 in. diam. branch S 83 W 39 lks. dist. of
a Do. 12 " " " N 24 1/2 E 33 " "

59.65 a B. Walnut 22 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 12 in. diam. branch S 78 E 29 lks. dist. of
a Do. 16 " " " S 80 W 33 " "This mile level rich land, timber mostly
Beech, some Walnut, Elm, Poplar & Ash
under the Spruce & some prairie

West On S. Boundary of Sec. 32

34.36 a Beech 16 in. diam.

40.00 Set of Sec. post, from which
a Poplar 40 in. diam. branch N 84 W 28 lks. dist. of
a Do 40 " " " N 12 1/2 E 40 " "

60.90 a Locust 48 " "

64.00 a Beech 16 " "

367

T. N. R. W. I. Mer. Indiana

Ch. M.

- 71.60 Road run 40 lks. wide Course N.
 80.00 Set post, Cor. to Sec. 31 & 32, from which
 a Beech 10 in. diam. bear N 62° W 7 lks. dist. &
 a Do 30 " " " S 22° E 23 " "
 This mile middling level rich land, timber
 Beech, Poplar &c. underg. Beech & Spruce

West On S. Boundary of Sec 31

- 6.60 Road from Vincennes to Rest Bank
 12.38 a Beech 24 in. diam.
 13.26 a Brook 6 lks. wide Course N. chiefly from N.
 40.00 Set q. Sec. post, from which
 an Ash 24 in. diam. bear S 56° W 5 1/2 lks. dist. &
 a Beech 18 " " " N 74° E 33 " "
 56.10 a Beech 20 " "
 77.10 a Poplar 40 " "
 80.00 Set post Corner to Township 1 N. & 1 S.
 Range 10 & 11 W. from which
 a Beech 10 in. diam. bear N 86° W 49 lks. dist. &
 a Sugar 20 " " " N 5° W 44 " "
 This mile first 1/2 level Beech timber land
 last 1/2 some broken with gullies rich soil
 Oct. 15th 1804 - E. Buckingham, U. S.

East Boundary

- North On E. boundary of Sec. 36, T. N. R. W.
 35.56 a Gum 16 in. diam.
 40.00 Set q. Sec. post, from which
 a Poplar 30 in. diam. bear N 86° E 15 lks. dist. &
 a Sugar 12 " " " N 80° W 24 " "
 45.80 a Hickory 16 in. diam.
 49.10 a Brook 4 lks. wide Course N. E.
 65.70 a Do 16 " " " N. E. good water
 67.62 a W. Oak 40 " "
 80.00 Set post Cor. to Sec. 25 & 36, from which
 a Beech 10 in. diam. bear N 70° W 3 1/2 lks. dist. &

St. R. 10 N. 2^d Mer. Indiana
ch. lks.

a Beech 12 in. diam. bear S 17 E 34 lks. dist. of
this mile uneven land good Soil, timber Beech
poplar, Angustia & some Oak, undergth
Beech & Horn Spruce

North On E. boundary of Sec. 25

27.60 a Hoop ash 18 in. diam.

40.00 Set of Sec. post, from which

a Beech 16 in. diam. bear N 82 W 14 lks. dist. of

a W. ash 22 " " " N 59 E 19 " "

40.30 an Elm 20 " " "

59.20 a Poplar 48 " " "

80.00 Set post Cor. to Sec. 24 & 25, from which

a Beech 24 in. diam. bear N 31 1/2 W 42 lks. dist. of

a Sugar 12 " " " S 4 1/2 W 5 " "

This mile level rich land, timber Beech Oak
Sugar & Poplar, undergth Beech & Horn Spruce

North On E. boundary of Sec. 24

7.00 enter a Swamp offset west 3 ch. thence North

8.85 thence E. 3 chains to line which brings

15.85 a Cross Swamp 6.00 lks. Course E.

24.80 a Road Course S. W. of N. E.

30.55 a Brook 6 lks. wide Course S. W.

36.34 a Beech 12 in. diam.

40.00 Set of Sec. post, from which

a Beech 12 in. diam. bear S 74 W 28 lks. dist. of

a Do 12 " " " S 44 E 36 " "

41.00 an Old line of Survey, runs nearly a Magnetic N.

45.65 a Brook 6 lks. wide Course N. E. find water

55.00 Old line Course N. W. nearly Magnetic

60.00 a Brook 10 lks. wide Course W.

61.50 a Do 10 " " " S. W.

68.80 a Elm 24 in. diam.

80.00 Set post Cor. to Sec. 13 & 24, from which

a Beech 24 in. diam. bear S 77 E 29 lks. dist. of

SW R.W. 2^d Mer. Indiana

ch. lks. a W. Ash 24 in. diam. bear S 79° W 34 lks. dist.
This mile more or less rich land, timber Beech,
Poplar, Ash, Sugar &c.

North On E. boundary of Sec. 13

5.50 a Poplar 20 in. diam.

25.65 a Beech 14 " "

40.00 Set q. Sec. post, from which
a Hickory 14 in. diam. bear S 5 E 17 lks. dist.
a Do. 10 " " " N 38° W 18 " "

45.00 enter White River bottom

52.26 a Sweet Gum 30 in. diam.

62.00 a Creek 30 lks. wide Corner S. W.

64.86 a W. Ash 26 in. diam.

80.00 Set post Cor. to Sec. 12 & 13, from which
a Hoop Ash 12 in. diam. bear N 78 E 18 lks. dist.
a Hickory 10 " " " N 83° W 28 " "
First 1/2 of this mile is broken with hills
towards White River - last 1/2 Overflowed
Bottom, Elm, Hickory, Pecan, Ash & Gum

North On E. boundary of Sec. 12

16.00 Intersected the Left Bank of White River

27.64 Set Meander post on the Right Bank of
White River, from which
a Cottonwood 14 in. diam. bear N 12 E 49 lks. dist.
a Maple 12 " " " N 65° W 51 " "

37.54 a Lycamore 30 " "

40.00 Set q. Sec. post, from which
a Hoop Ash 14 in. diam. bear S 82 E 17 lks. dist.
a Boxelder 14 " " " N 10° W 52 " "
River is 100 lks. East

50.00 a Pond 50 lks. West

65.00 a Pond 100 lks. wide Corner S. W. & N. E.

78.50 a Brook which makes last pond 20 lks. wide S. E.

80.00 Set post Cor. to Sec. 11 & 12, from which

S. N. R 10 W. 2^d Mer. Indiana

ch. lks

a Poplar 9 in. diam. bray S 26 E 3 lks. dist. of
 a Spanish Oak 12 " " " N 73 W 20 " "
 first part of this mile overflowed bottom
 last part middling good bottom some
 time overflowed

North On E. boundary of Sec. 1

- 4.21 a Swamp W. Oak 18 in. diam.
 27.50 a Brook 12 lks. wide Course W. Swamp 6 ch. wide
 33.85 a W. Ash 12 in. diam.
 40.00 Set q. Sec. post, from which
 an Elm 12 in. diam. bray S 11 E 19 lks. dist. of
 a W. Ash 14 " " " N 67 W 14 " "
 42.50 enter field of Mr. Baker, lives 10 ch. N 70 E.
 52.00 leave field extends 2 ch. West
 61.80 a drain Course S. E.
 66.06 a W. Ash 12 in. diam.
 79.83 a W. Oak 24 "
 80.00 Set post Cor. to Township, 19th 2 North, Range
 10 West, from which
 a W. Oak 18 in. diam. bray S 31 W 50 lks. dist. of
 a Do. 14 " " " N 20 1/2 W 50 " "
 First 1/2 mile low bottom last 38 chains
 W. Oak timbered land (middling soil
 underg^g. Logwood, (1 1/2 ch. E 9 W. is same)
 Surveyed in 1804 by E. Buckingham D. S.

North Boundary. Nov. 24th 1804

West On S. boundary of Sec. 36, T 2 N. R 10 W

- 15.20 enter a Cornfield
 26.30 across the field large S.
 30.60 a Brook 5 lks. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a W. Oak 18 in. diam. bray N 61 W 4 lks. dist. of
 a Do. 15 " " " S 78 E 20 " "
 47.00 enter a Cornfield

371

T. N. R 10 W. 2^d Mer. Indiana

ch. lks.
 52.20 across the field
 53.28 a B. Oak 24 in. diam.
 63.00 enter a Cornfield
 72.30 across the field
 80.00 Set post Cor. to Sec. 35 & 36, T 2 N. R 10 W, from which
 a Beech 16 in. diam. bears N 29 1/2 W 8 lks. dist. of
 a B. Oak 30 " " S 30 W 41 "
 This mile rich land, timber Oak, Hickory, Poplar
 Sugar, Ash & Walnut, underg^r. Spruce & Hazel

Met On S. boundary of Sec. 35, T 2 N. R 10 W
 0.50 a Brook 6 in. wide Course S.
 2.00 to Barren
 2.65 a W. Oak 18 in. diam.
 40.00 Set q^r. Sec. post, from which
 a W. Oak 18 in. diam. bears S 80 W 88 lks. dist.
 no more trees near in Barren
 72.00 enter a field
 80.00 Set post Cor. to Sec. 34 & 35, T 2 N. R 10 W. in a
 field no bearing in field which was a prairie
 This mile Barren poor land

Met On S. boundary of Sec. 34, T 2 N. R 10 W
 3.50 leave the field
 17.58 a B. Oak 16 in. diam.
 19.00 to Red Bank road
 37.43 a W. Oak 18 in. diam.
 40.00 Set q^r. Sec. post, from which
 a W. Oak 16 in. diam. bears S 57 E 13 lks. dist. of
 a Do. 18 " " S 64 W 55 "
 54.68 a B. Oak 16 " "
 72.86 a Hickory 12 " "
 80.00 Set post Cor. to Sec. 33 & 34, T 2 N. R 10 W, from which
 a W. Oak 16 in. diam. bears S 33 1/2 W 34 lks. dist. of
 a B. Oak 16 " " N 65 1/2 E 6 " "
 This mile Barren thin Soil some scrubby

St. N. R. 10 W. 2^d Mer. Indiana
 ch. 1st 1st 1st
 Oak & Hickory timber

Nest On S. boundary of Sec. 33, T2 N. R10 W
 4.86 a W. Oak 14 in. diam.

9.40 enter a wet swampy prairie very large St of
 S. waded through mud & water in prairie
 as far as 30 chains, where it gets very muddy and
 impassible, the prairie extends about 15 ch.
 west, swampy & brushy & then thickly timbered
 with Cypress and ~~aspen~~ Swampy
 returned through prairie and started to trav-
 erse round it to the north from the Oak
 noted at 4.86

N8W 53.64 along near edge of Marshy prairie

N34W 26.13 in Prairie

SG9W 5.46 Came in sight of Pond about 5 ch. wide
 appears to extend far St of South
 Cypress timber of Swamp

N4W 8.50 to Cypress Swamp

N11E 12.52 Swampy brushy W.

N32W 11.56 at 9.50 Creek in Swamp 40 ch. wide
 good water, run brushy - this is River
 Deshee here it spreads and makes
 the Cypress Swamp

Quit Nov. 24, 1804. Then I run west in
 Swamp the head of a large pond 8 ch. 530W
 all Swamp

Nest 58.25 through Swampy land River Deshee
 spreads through the Swamp to Briers
 and bad ground - thence

130W 80.00 along in Swampy ground generally
 covered with water Ash, Maple &
 Elm timber water bushes &c.

South
 23.43 to Swamp then run

545W 15.16 along the edge of Swamp which
 brings me into the line at 65.36. thence

T. N. R 10 W. 2^d. Mer. Indiana

373

ch. lth

Nest On the line

65.36 On S. boundary of Sec. 32, T. 2 N. R 10 W.
80.00 Set post Cor. to Sec. 31 & 32, T. 2 N. R 10 W. from which
a W. Ash 14 in. diam. beam N 73 W 2 lth. dist. of
a Sugar 12 " " " S 5 E 10 " "

Nest On S. boundary of Sec. 31, T. 2 N. R 10 W

4.34 a Gum 24 in. diam.

40.00 Set of Sec. post, from which
a Sugar 12 in. diam. beam S 52 E 26 lth. dist. of
a Dogwood 10 " " " N 39 E 23 " "

69.55 Intersected N. Boundary 175 lth. N. of Town
Cor. Set post Cor. to Township 1 of 2 North, of
Range 10 West, from which
a Maple 30 in. diam. beam N 4 E 30 lth. dist. of
a Do. 12 " " " S 62 E 44 " "
First 1/2 mile level land middling dry
tolerable soil - last 1/2 swampy land, timber
Elm, Maple, Ash &c.

Nest Boundary

North On East Boundary of Sec. 36, T. 2 N. R 11 W

6.34 a Drain Course W.

19.03 a W. Ash 24 in. diam.

26.75 a Brook 6 lth. wide Course N.W.

37.84 a Beech 14 in. diam.

40.00 Set of Sec. post, from which
a W. Walnut 30 in. diam. beam N 11 1/2 E 38 lth. dist. of
a Beech 8 " " " S 32 1/2 W 39 " "

46.03 a Gum 24 in. diam.

55.00 a Brook 8 lth. wide Course 6 W. fork

65.09 a Poplar 40 in. diam.

66.40 a Brook 8 lth. wide Course W.

80.00 Set post Cor. to Sec. 25 of 36, T. 2 N. R 10 W. from which
a Beech 12 in. diam. beam S 41 E 36 lth. dist. of
a Do 10 " " " N 29 1/2 W 21 " "

T. N. R. 11 W. 2^d. Mer. Indiana
 ch. lks This mile broken hills, rich soil, timber
 Beech, Poplar & some Sugar tree

North On E. boundary of Sec. 25, T. N. R. 11 W
 5.00 Over hill to bottom

10.00 a Maple 18 in. diam.

35.36 a Hickory 12 " "

40.00 Set q. Sec. post, from which
 a Hoop Ash 12 in. diam. bear S 30 E 6 lks. dist. of
 an Elm 18 " " N 87 W 35 " "

80.00 Set post Cor. to Sec. 24 & 25, T. N. R. 11 W, from which
 a Hoop Ash 20 in. dia. bear N 68 E 25 lks. dist. of
 a P. Oak 30 " " S 20 E 50 "
 First 1/2 mile overflowed bottom - last 1/2 mile
 bottom much cane, timber Ash, Elm, Maple
 Hickory &c.

North On E. boundary of Sec. 24, T. N. R. 11 W
 17.10 an Elm 18 in. diam.

36.60 Intersected the Left Bank of White River
 Over Bottom Cane brake

44.31 Set post on Right bank of White River
 in an improvement no trees to mark corner

80.00 Set post Cor. to Sec. 13 & 24, T. N. R. 11 W, from which
 a Mahogany 16 in. diam. bear N 34 W 45 lks. dist. of
 a Poplar 50 " " S 36 W 46 " "

This distance broken ridges good soil, timber
 Poplar, Sugar, Ash, Spice &c. swampy & undrained.

North On E. boundary of Sec. 13, T. N. R. 11 W

16.52 Over high hill to flat land

23.00 quit November 20th 1804

40.00 Set q. Sec. post, from which
 an Elm 20 in. diam. bear S 10 W 34 lks. dist. of
 a Maple 12 " " N 83 E 13 " "

45.30 an Elm 18 " "

375

S. N. R. W. 2^d Mer. Indiana

S. 1st 1/2

62.50 an Elm 12 in. diam.

80.00 Set post cor. to Sec. 12 & 13, T. 1 N. R. 11 W. from which
a Maple 16 in. diam. bear S 11 E 45th dist. of
a Locust 18 " " " N 42 W 25 " "

Last 3/4 of this mile flat land, timber Elm, Maple
Gum & some Locust many briars & brush, too
flat for Cultivation.

North On E. boundary of Sec. 12, T. 1 N. R. 11 W

3.50 an Elm 22 in. diam.

40.00 Set gr. Sec. post, from which
a Maple 20 in. diam. bear N 21 W 25th dist. of
a Do. 20 " " " N 4 E 41 " "

62.00 a Maple 18 " " "

80.00 Set post Cor. to Sec. 1 & 12, T. 1 N. R. 11 W. from which
a Maple 12 in. diam. bear S 17 W 5th dist. of
a Do. 16 " " " N 64 E 53 " "

This mile low overflowed land timber Elm
Maple, Gum & Ash many briars

North On E. boundary of Sec. 1, T. 1 N. R. 11 W

15.15 a W. Oak 12 in. diam.

24.60 an Elm 18 " " "

40.00 Set gr. Sec. post, from which
a Maple 16 in. diam. bear S 22 E 15th dist. of
a Do. 15 " " " N 78 E 30 " "

55.68 a Gum 30 " " "

72.64 an Elm 14 " " "

80.00 Set post Cor. to Township 1 & 2 North, Range
11 West, from which
a W. Oak 12 in. diam. bear S 26 1/2 W. 20th dist. of
a Do. 14 " " " S 85 E 33 " "

This mile flat swampy land, timber Elm, Maple,
Gum, Ash, Swamp Oak - last part of the
mile very brushy with water brush. land
not fit for Cultivation. E. Buckingham, Ill.

S. N. R. N. W. 2^d. Mer. Indiana

ch. lks

Subdivision

West Between Secs. 12 & 13

11.00 a Hickory 10 in. diam.

29.70 a Hoop Ash 12 "

37.50 Intersected Left bank of White River

Set post fac. Cor. to Secs. 12 & 13, from which
 a Maple 12 in. diam. bears N 86 $\frac{1}{2}$ W 5 lks. dist. of
 a Loc. 12 " " " N 2 $\frac{1}{2}$ W 5 " "
 This distance Overflowed bottom

West Between Secs. 13 & 24

9.00 a Spring Course South

40.00 Set q. Sec. post, from which

a Gum 14 in. diam. bears N 7 $\frac{1}{2}$ W 24 lks. dist. of

a W. Oak 12 " " " S 36 E 30 " "

40.50 a brook 20 lks. wide Course N.W.

79.10 Intersected the Left bank of White River. Set

fac. Cor. to Secs. 13 & 24, from which

a W. Ash 18 in. diam. bears S 44 E 9 lks. dist. of

a Loc. 18 " " " N 88 E 28 " "

This mile Beech timbered land, points of
 banks - good

West Between Secs. 24 & 25

23.00 a Brook 8 lks. wide Course N.W.

27.00 a Drain Course N.

37.80 a Brook 8 lks. wide Course N.W.

40.00 Set q. Sec. post, from which

a Beech 16 in. diam. bears - 61 E 60 lks. dist. of

a Beech 14 " " " N 66 W 66 " "

42.20 a Brook 4 lks. wide Course S.E.

55.50 a Road Course S.W.

65.20 a Brook 6 lks. wide Course N 30 W.

80.00 Set post. Cor. to Secs. 23, 24, 25 & 26 temporarily

This mile wet rich land, timber Beech, Poplar,
 Sugar tree Open woods

S. N. R. 10th D. Mer. Indiana

ch. lks.

West Between Secs. 25 & 36, S. N. R. 10th

36.16 a Brook 3 lks. wide Course S.

40.00 Set gr. Sec. post, from which
a Beech 12 in. diam. tray N 13° W 22 lks. dist. of
a do. 10 " " " S 24° E 12 " "

57.20 a Brook 6 lks. wide Course S.

73.50 a do. 6 " " " N.

80.00 Set imp. post. This mile over rich land
timber Beech, Poplar, Sugar, Ash, Oak &c

East Between Secs. 30 & 31

35.18 Intersected Old line of Survey What we
supposed to be the West Boundary of the
Military land - followed this line N. to the
river to be certain. Measured N. on old
line 18.60 to Corner a N. Ash 16 in. diam. with
letters S. W. 49.40 to a Maple 12 " " on the
Bank of the River for Corner. Thence went
to find the N. Boundary - was shown the
Boundary by a young man - Thence meas.
East from a Hickory Sapling

29.50 a Drain Course N. W.

32.50 a do " S. W.

42.50 a road Course S. - quit Oct. 22^d 1804

46.00 a Drain Course S. W.

59.50 a run 6 lks. wide S

80.00 Set Stake & established 1st mileEast 2nd mile on N. boundary of Military land

32.42 Corner tree in run C. A. an Elm 16 in. diam.

57.80 another Corner

78.00 a Brook 10 lks. wide Course N. E.

80.00 Set a Stake

East 3rd mile on N. boundary of Military land

3.00 a Brook 8 lks. wide Course N. W. near old cor.

T.1N. R.10W. 2^d Mer. Indianach. 1st Mer.

36.15 an Old Corner

48.10 a Brook 10 lks. wide Course N.

61.00 Old Corner — 62.50 a road South

80.00 Set Stake

East 1st Mile On N. boundary Military land

6.00 Old Corner

30.70 Do.

35.00 Intersected E. boundary of Range 10th W.

Set post from which

a W. Ash 20 in. diam. bearing N 52° W 15 lks. dist. of

a Sugar 10 " " " S 49° E 30 " "

This post stands 10.75 lks. N. of Cor. to Sec. 1

25 & 36 T.1N. R.10W. Marked per plan

Look Bearings for Cor. to Sec. 23, 24, 25 & 26 from
which a Beech 12 in. diam. bearing N 61° W 10 lks. dist. of

a Do 10 " " " S 61° E 53 " "

South Between Sec. 25 & 26,

9.40 a Brook 4 lks. wide Course N.

12.80 a Do 3 " " " N.W.

14.40 a Sugar 16 in. diam.

27.51 a Poplar 20 " "

33.70 a Brook 3 lks. wide Course N.W.

40.00 Set of Sec. post, from which

a Poplar 30 in. diam. bearing N 48° E 4 1/2 lks. dist. of

a Do. 36 " " " S 20° W 44 " "

49.60 a Brook 4 lks. wide Course N.

61.14 Intersected N. boundary of Military land

Set post from Cor. to Sec. 25 & 26, from which

a Beech 20 in. diam. bearing N 61° E 4 1/2 lks. dist. of

a Gum 12 " " " S 40° W 35 " "

This mile broken with short hills, soil good
timber Beech, Sugar, Poplar &c.

North Between Sec. 23 & 24, T.1N. R.10W

S. N. R. 109. 2nd Mer. Indiana

ch. lks.

- 18.50 enter a Bottom
 19.50 a Brook 4 lks. wide Course N.
 31.10 a Do. 10 " " " N.W.
 40.00 Set gr. Sec. post, from which
 a Beech 8 in. diam. bray S 22 W 9 lks. dist. of
 a Do. 9 " " " S 22 E 25 " "
 47.72 a Sugar 14 " "
 76.40 a Hoopash 20 " "
 79.50 Intersected Left Bank of White River - Set post
 fac. Cor. to Sec. 23 & 24, from which
 a W. Oak 15 in. diam. bray S 45 E 18 lks. dist. of
 a Sycamore 12 " " " N 78 W 33 " "
 This mile mostly low bottom,

West Between Sec. 23 & 26

- 7.15 a Poplar 40 in. diam.
 17.50 enter a bottom
 22.00 a Brook 10 lks. wide Course S.W. from S.E.
 28.00 a Do. 6. " " " N.W.
 32.65 a W. Oak 14 in. diam.
 40.00 Set gr. Sec. post, from which
 a Hoopash 16 in. diam. bray N 57 W 13 lks. dist. of
 a Red Bud 7 " " " S 53 E 35 " "
 54.00 a Sycamore 72 " "
 61.00 a brush Swamp offset 250 ft. West to Clear pond S. 250
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
 an Elm 20 in. diam. bray N 16 E 21 lks. dist. of
 a Sycamore 30 " " " S 25 W 33 " "
 This mile low overflowed bottom Swamp

South Between Sec. 26 & 27

- 8.53 an Elm 14 in. diam.
 10.00 across a bottom
 37.70 a Brook 8 lks. wide Course N.W.
 40.00 Set gr. Sec. post, from which
 a Beech 12 in. diam. bray N 45 W 18 lks. dist. of

S. N. R. W. D. Mer. Indiana

ch. P. lks.
 a Nuttall 12 in. diam. bran S 56 E 19 lks. dist. of
 45.50 a W. Ash 12 " "
 46.00 a Brook 8 lks. wide comes S. W.
 51.22 Intersected the N. boundary of the Military land
 Set post frac. Cor. to Sec. 26 of 27, from which
 a Gum 14 in. diam. bran N 46 W 25 lks. dist. of
 a Beech 24 " " " N 55 E 6 3 " "
 Overflowed bottom / Beech Points of hills

North Between Sec. 22 of 23
 2.00 a W. Oak 24 in. diam.
 11.90 Intersected the Left bank of White River - Set
 post Cor. to frac. Sec. 22 of 23, from which
 a Hoop Ash 18 in. diam. bran N 62 W 13 lks. dist. of
 an Elm 14 " " " S 77 E 14 " "
 Over low bottom land

West Between Sec. 22 of 27
 24.70 a Maple 26 in. diam.
 40.00 Set q. Sec. post, from which
 a Maple 20 in. diam. bran N 78 E 65 lks. dist. of
 a W. Ash 30 " " " N 85 W " "
 62.18 a Sugar tree 20 in. diam.
 80.00 Set post Cor. to Sec. 21, 22, 27 of 28, from which
 a B. Oak 20 in. diam. bran N 40 E 29 lks. dist. of
 a W. Oak 18 " " " S 61 E 26 " "
 First $\frac{3}{4}$ Swampy bottom near foot of hill last
 $\frac{1}{4}$ over points of hills near bottom

South Between Sec. 27 of 28
 4.90 a Poplar 28 in. diam.
 19.70 a Hickory 24 " "
 40.00 Set q. Sec. post, from which
 a Hickory 12 in. diam. bran N 80 W 13 lks. dist. of
 a Sugar 12 " " " S 61 E 57 " "
 42.74 Intersected N. boundary of Military land - Set

381

St. N. R. 10 W. 2^d. Mer. Indiana
 ch. P. lks.
 post fac. Cor. to Sec. 27 & 28, from which
 a Sugar 16 in. diam. bear N 82° W 7 lks. dist. &
 a Do. 10 " " " N 74° E 37 " "
 This rich Beech, Sugar & Poplar land
 October 23^d 1804

North Between Sec. 21 & 22,
 3.00 enter bottom
 5.30 a W. Oak 36 in. diam.
 16.38 a Locust 20 " "
 30.37 Intersected the Left bank of White River
 Set post fac. Cor. to Sec. 21 & 22, from which
 a Cottonwood 9 in. diam. bear S 60° E 7 lks. dist. &
 a Do. 6 " " " S 12° W 22 " "
 This distance over low overflowed bottom
 timber Cottonwood, Elm, & Maple

West Between Sec. 21 & 28
 5.90 a Brook 3 lks. wide Course N.
 9.00 a Drain Course N.
 14.05 a Sugar 12 in. diam.
 14.30 a Drain Cr. N.
 26.00 a W. Ash 24 in. diam.
 40.00 Set q. Sec. post, from which
 a Sugar 24 in. diam. bear S 51° E 20 lks. dist. &
 This post stands in Mr. Youngman's field house 1 ch. S.E.
 54.00 a B. Oak 24 in. diam.
 77.16 Intersected the Left Bank of White River
 Set post fac. Cor. to Sec. 21 & 28, from which
 a W. Ash 24 in. diam. bear N 16° E 40 lks. dist. &
 a Hickory 26 " " " S 26° W 21 " "
 This mile mostly bottom first 1/4 points of hills
 last 3/4 overflowed bottom

From last post Run S. 754 lks. thence West 284
 & set post on the Left bank of white River

T.N. R.W. 2^d. Mer. IndianaCh. 1st 1st.

pac. Cor. to Sec. 28 & 29, from which
 an Elm 10 in. diam. bray S 41 E 12 lks. dist. &
 a Do. 16 " " " S 62 W 9 " " Thence
 South Between Sec. 28 & 29

15.70 a Sugar 12 in. diam.

20.65 a Brook 5 lks. wide Course N.W.

27.25 Intersected N. boundary of Military land &
 set pac. post Cor. to Sec. 28 & 29, from which
 a Blue Ash 12 in. diam. bray S 52 W 30 lks. dist. &
 a Cherry 8 " " " S 89 E 21 " "
 This distance low bottom first 10 chains - then
 the residue upland, timber ash, Poplar &
 Sugar, undergth. Spice & Pawpaw

Thence from the above post
 East Measured along the N. boundary of Military land
 7.00 a Brook 4 lks. wide Course N 60 W. Crossed it here at 11 m.
 32.00 a Do 4 " " " North.
 45.70 to the Hickory Sapling where I began the Survey of
 the N. boundary of Military land.

Thence from the Cor. of Sec. 28 & 29 Continued
 West On N. Boundary of the Military land

25.00 an improvement

47.00 a Creek 40 lks. wide Course N. by Mr. Harpison's house

50.33 Intersected White River set pac. Cor. at
 intersection from which
 a Hoopash 14 in. diam. bray S 65 W 19 lks. dist. &
 a Do 12 " " " N 86 E 36 " "
 This 50 chains mostly bottom

Repaired to temp^y post set on N. boundary of
 Military land at the intersection of the line betw.
 Sec. 30 & 31, T. N. R. 10 W, from which
 a Beech 18 in. diam. bray S 64 W 40 lks. dist. &
 a Do 20 " " " S 72 1/2 E 33 " "

T. N. R 10 W. 2^d Mer. Indiana
ch. 2^d lks.

Thence from from the post on W. Boundary
of the Military land at the Cor. of Secs. 30 & 31, thence
South On W. Boundary of the Military land

19.00 Old Corner

58.80 Old Corner S. W. Cor. of Cornfield

81.00 Intersected the Base Line 27.50 East of line
between Ranges 10 & 11 W. Set post at intersection,
Cor. to Sec. 31, T. N. R 10 W & Sec 6, T. 15 N. R 10 W, from which
a Beech 12 in. diam. bears S 87 W 29 lks. dist. &
a Do 30 " " " N 67 W 32 " " "
This mile level Beech timbered land

Regan On the Base Line 39.46 West of the line
between Ranges 9 & 10 W. Set post Cor. to Sec. 1,
T. 15 N. R 10 W & Sec. 36, T. 15 N. R 10 W. from which
a Gum 12 in. diam. bears S 18 E 19 lks. dist. &
a Sugar 10 " " " N 12 1/2 E 21 " " " Thence
North On E. boundary of Military land, through Sec 36
6.38 a Brook 6 lks. wide Course S. W.
14.68 expected to find a corner & line running East as
per plan, but can find none - Continue on this line
21.68 a Brook 8 lks. wide Course N. E.
28.68 a Drain Course N. E.
54.68 no Corner to be found Continue the line
55.68 a Brook 6 lks. wide Course N. E.
81.95 Intersected the line between Secs. 25 & 36, T. 15 N.
R 10 W, 9.14 lks. East of gr. Sec. post - Set post at
intersection on said line from which
a Gum 16 in. diam. bears S 53 W 5 lks. dist. &
a Beech 12 " " " N 64 E 23 " " "

Continued from the above post
North On E. boundary of the Military land
40.54 Intersected the N. boundary of the Military land
as followed by me East - Set no post, expecting
that the two lots projecting from the main body

St. N. R. W. 2nd Mer. Indiana

ch. l. l. r.

at the N. E. corner, are yet to be run as I can find no line but the St. boundary, and more particularly as some of the lines have been but lately run, and others for 8 years - from which I concluded the Survey is not yet Complete C. Buckingham, D. S.

North Between Sec. 23 & 24

40.00 old of. Sec. Corner

80.00 Set post Cor. to Sec. 13, 14, 23 & 24 on the left bank of White River

North Between Sec. 13 & 14

9.15 to a Maple 6 in. diam. on Right Bank of White River

33.14 a Beech 15 in. diam.

40.00 Set of. Sec. post, from which an Elm 20 in. diam. bear S 70 E 49 Ch. dist. of an Ash 6 " " " S 80 W 50 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which an Elm 16 in. diam. bear S 86 E 21 Ch. dist. of a Do. 10 " " " N 72 W 23 " " This mile low overflowed bottom, Ash, Elm Beech &c, (undergth Spruce &c

East On Rand^m between Sec. 12 & 13

36.10 to (Right) bank of White River

44.70 to post on opposite bank of W. River

West On true line between Sec. 12 & 13

of. Sec. Corner in the River

44.70 to Sec. Corner

Rich Bottom land, timber as last mile

North Between Sec. 11 & 12

27.55 a Sassafras 12 in. diam.

S. N. R. W. 2nd Mer. Indiana

- ch. p. lks.
 40.00 Set q. Section post, from which
 a Hickory 10 in. diam. bears S 60° W 7 lks. dist.
 No other tree. This 1/2 mile good bottom land
 Elm, Ash, Walnut &c. undg. ^{low} Spruce & vines
 50.50 a Road
 80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
 a Hickory 16 in. diam. bears S 73° W 32 lks. dist. of
 a do 18 " " " S 73° E 40 " "
 This last 1/2 2nd rate land thinly timbered with
 Oak & Hickory, undg. ^{low} Hazel & grape vines

East On Range between Sec. 1 & 12

- 40.00 Set temp. q. Sec. post
 This 1/2 mile upland thinly timbered with
 Oak & Hickory
 84.24 Intersected E. boundary 20 lks. N. of post
 This 1/2 low overflowed bottom, Ash, Elm &c.
 undg. ^{low} Spicewood.

West On true line between Sec. 1 & 12

- 42.12 Set q. Sec. post at average dist. from which
 an Elm 24 in. diam. bears N 30° W 4 lks. dist. of
 a do. 30 " " " S 50° W 43 " "
 84.24 to Sec. Corner June 12th 1807

North Between Sec. 1 & 2,

- 13.00 to an improvement
 25.00 through the improvement
 32.00 a run 4 lks. wide Course S. E.
 40.00 Set q. Sec. post, from which
 a Hickory 12 in. diam. bears N 68° E 56 lks. dist. of
 a Cherry 10 " " " S 89° W 30 " "
 81.76 Intersected N. boundary 298 lks. West of post
 Set post Cor. to Sec. 1 & 2, from which
 a W. Oak 18 in. diam. bears N 24° W 19 lks. dist. of
 a do. 16 " " " S 17° W 26 " "

S. N. R. W. I. Mer. Ind.

ch. l. hr.

First $\frac{1}{2}$ mile rich land, timber Elm, Oak
 Poplar &c. 2nd $\frac{1}{2}$ mile thin land Oak &
 Hickory, under ^{the} Pines, vines &c.
 June 14th 1807.

North Between Sec. 22 & 23

11.83 to post on the Left Bank of White River
 23.00 Set post on Right Bank of river, from which
 a Maple 9 in. diam. bear N 54 E 27 lks. dist. of
 a Cottonw. 16 " " " N 44 W 26 " "
 27.32 a do. 18 " "
 40.00 Set q. Sec. post, for which an Ash 10
 in. diam. is marked for Corner
 78.30 a run 3 lks. wide Course S. W.
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 10 in. diam. bear N 47 E 58 lks. dist. of
 a Dogw. 6 " " " S 30 W 46 "
 Mostly low flooded bottom land, Ash, Elm,
 Cottonwood &c. Some 2nd rate hill land
 Ash, Hickory &c. under ^{the} vines & mittle,

East On Land^m between Sec. 14 & 23

40.00 Set temp. q. Sec. post
 60.90 Intersected W. River, Set Meander post on
 Right Bank from which
 a Beech 8 in. diam. bear S 30 W 15 lks. dist. of
 a do 9 " " " N 22 W 16 " "
 81.60 to post on Opposite Side of River
 Land timber &c. Same as on the last mile

West On true line between Sec. 14 & 23

40.80 Set q. Sec. post at average dist. from which
 an Elm 12 in. diam. bear N 30 W 64 lks. dist. of
 an Ash 16 " " " S 53 E 55 " "
 81.60 to Sec. Corner

S. N. R. 10 W. 2^d Mer. Indiana

Ch. P. Lk.

North Between Secs. 14 & 15

26.87 a W. Oak 12 in. diam.

40.00 Set q^r. Sec. post, from which

a W. Oak 12 in. diam. bears N 49 E 18 lks. dist. &

a Dogwood 6 " " " S 75 W 35 " "

41.35 a run 3 lks. wide course S. W.

64.50 a do 4 " " " S. E.

80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which

a Hickory 6 in. diam. bears N 52 E 37 lks. dist. &

a W. Oak 18 " " " S 56 W 50 " "

Land 2nd rate thinly timbered with W. B. Oak
Hickory &c. under " Sassafras & birch

East On Rand^m. between Secs. 11 & 14

27.00 enter a plantation

40.00 Set temporary q^r. Sec. post

This 1/2 mile same as on the last mile

80.62 Intersected the S. line 12 lks. S. of post

Last 1/2 mile low flooded bottom, Ash, Elm,
Cottonwood, Sycamore &c.

West On true line between Secs. 11 & 14

40.32 Set q^r. Sec. post at average dist. from which

a Locust 18 in. diam. bears N 32 W 22 lks. dist. &

a W. Oak 6 " " " S 81 E 35 " "

80.62 to Sec. Corner.

North Between Secs. 10 & 11

14.92 a P. Oak 24 in. diam.

30.10 a W. Oak 20 " "

40.00 Set q^r. Sec. post, from which

a W. Oak 20 in. diam. bears S 59 E 32 lks. dist. &

a P. Oak 18 " " " S 40 W 78 " "

53.72 a P. Oak 10 " "

80.00 Set post cor. to Secs. 2, 3, 10 & 11, from which

a P. Oak 22 in. diam. bears S 20 W 87 lks. dist. &

S. N. R. W. D. Mer. Indiana

Ch. Lm.

a Hickory 7 in. diam., bear N 53 E 62 lks. dist.
 This mile (mostly prairie, thinly timbered
 with w & b. Oak & Hickory soil good

East On Rand. between Sec. 2 of 11

40.00 Set temp. gr. Sec. post

52.00 to a plantation

79.80 Intersected the N of S. line 9 lks. S. of post
 Sand timber &c. same as on the last mile

West On true line between Sec. 2 of 11

39.90 Set gr. Sec. post at average dist. from which
 a Blk. Oak 8 in. diam., bear N 43 E 16 lks. dist.,
 a Do. 6 " " " S 20 W 46 " "

79.80 to Sec. Corner.

North Between Sec. 2 of 3,

17.40 a Hickory 16 in. diam.

40.00 Set gr. Sec. post, from which

a Hickory 12 in. diam. bear N 61 E 40 lks. dist.,

a W. Oak 16 " " " North 49 " "

70.00 to a plantation

82.40 Intersected N. boundary in old field - Set
 post Cor. to Sec. 2 of 3, (no bearing trees)

First 1/2 mile barren, as last - last 1/2 mile
 same (what is) bottom, timber W & B. Oak,
 Hickory &c. under w. grape vines, Hazel &c.

North Between Sec. 21 of 22

30.54 to Old post on Left Bank of White River

40.00 gr. Sec. Cor. in River

41.79 Set meander post on Right bank of River, from which

a Hickory 16 in. diam., bear N 34 W 17 lks. dist.,

a Do. 14 " " " S 70 E 18 " "

50.36 an Elm 20 " "

69.50 to a Pond

T. N. R. 10 N. 2nd Mer. IndianaSh. 1st 1st 1st

74.00 through the pond

80.00 Set post cor. to Sec. 15, 16, 21 & 22, from which
a W. Oak 9 in. diam. bray N 48 W 25th dist. 5
a Do. 10 " " " N 36 E 8 " "This mile mostly flooded bottom, Ash, elm,
Mulberry, Hackberry &c. undergth Spruce swampEast On Rand^m between Sec. 15 & 22

26.00 a Spring run Corns S.

32.50 a run 12th mile Corns S.

39.75 a do 3 " " " S.

40.00 Set temp^y gr. Sec. post

80.30 Intersected the N of S. line -

Land 2nd rate, timber W & B. Oak, Hickory &c.
thick undergth of some kind of timber

West On true line between Sec. 15 & 22

40.15 Set gr. Sec. post at average dist. from which
a P. Oak 18 in. diam. bray S 55 E 18th dist. 5
a Do. 16 " " " N 36 E 14 " "

80.30 to Sec. Corner

West Between Sec. 16 & 21

29.90 Intersected the Right bank of White River &

Set meander post, from which

a Sycamore 20 in. diam. bray N 27 W 17th dist. 5
a Cottonwood 14 " " " N 10 E 30 " "Rich land, timber W & B. Walnut, Ash &c.
undergth Spruce, some rich bottom. June 15th 1807

North Between Sec. 15 & 16

19.56 a P. Oak 14 in. diam.

40.00 Set gr. Sec. post, from which

a W. Oak 9 in. diam. bray N 35 E 30th dist. 5
a P. Oak 16 " " " N 46 W 33 " "

52.30 a W. Oak 8 " " "

S. N. R 109 W, 2^d. Mer. Ind.^a

ch. 2nd km.

88.00 Set post cor. to Sec. 9, 10, 15 & 16, from which
a P. Oak 10 in. diam. beam S 32 E 9 lks. dist. of
a do. 10 " " " N 15 W 17 " "
This mile sandy barren, thinly timb. with
W & P. Oak &c.

East On Rand^m. between Sec. 10 & 15

40.00 Set temp^y. q^r. Sec. post

62.10 a run 4 lks. wide Course S. W.

79.89 Intersected the N & S. line 130 lks. N. of post
Sandy timber &c. same as on the last mile

West On true line between Sec. 9, 10 & 15

39.94 1/2 Set q^r. Sec. post at average dist. from which
a W. Oak 18 in. diam. beam N 63 E 69 lks. dist. of
a do. 18 " " " S 72 W 58 " "

79.89 to Sec. Corner

North Between Sec. 9 & 10

22.50 a W. Oak 4 in. diam.

35.50 a run 3 lks. wide Course N. W.

40.00 Set q^r. Sec. post, from which
a P. Oak 18 in. diam. beam S 23 W 64 lks. dist. of
a do. 25 " " " N 31 E 88 " "

71.81 a P. Oak 8 " "

72.50 Road from Vincennes to Red Banks

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Hickory 10 in. diam. beam N 24 E 142 lks. dist. of
a P. Oak 21 " " " S 56 W 257 " "
Sandy barren, timber Hickory Sack Oak & W. Oak

East On Rand^m. between Sec. 3 & 10

3.00 Crossed road from Vincennes to Red banks N. E. & S. W.

40.00 Set q^r. Sec. post temporarily

79.86 Intersected the N & S. line 130 lks. N. of post
Sandy barren, thinly timbered with W & P. Oak & hickory.

S. N. R. 10 N. 2^d Mer. Indiana

Ch. Lhs.

West On true line between Sec. 10 & 3

39.93 Set q^r. Sec. post at average dist. from which
a Hickory 10 in. diam^t. bear N 3 E 8 lks. dist. 5
a do. 13 " " " N 3 E 4 3 " "
79.86 to Sec. Corner.

North Between Sec. 3 & 4

28.42 a P. Oak 21 in. diam^t.

40.00 Set q^r. Sec. post, from which
a P. Oak 20 in. diam^t. bear S 87 E 70 lks. dist. 5
a Hickory 10 " " " N 60 W 78 " "

57.00 a W. Oak 10 " "

81.30 Intersected N. boundary at the post - set post
Cor. to Sec. 3 & 4, from which no bearings
were taken. This mile sandy barren, thinly
timbered with W. P. Oak & Hickory
June 16th 1807

West Between Sec. 9 & 16

18.00 Crossed Vincennes road

24.63 a Sycamore 16 in. diam^t.

40.00 Set q^r. Sec. post no bearing trees

53.00 enter a Swamp, Elm, Ash, Maple flooded
with water

67.25 a W. Ash 22 in. diam^t. bear

78.00 through the Swamp

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a W. Ash 12 in. diam^t. bear S 85 W 14 lks. dist. 5
a do. 18 " " " N 81 E 21 " "

(Description of Land &c. Omitted)

South Between Sec. 16 & 17

3.00 enter a Swamp, timber Ash, Elm, Maple &c

13.00 through the Swamp

13.56 an Elm 30 in. diam^t.

19.50 to improvement in prairie

St. N. W. T. T. Mer. Indiana

ch. 2. 1/2 mi.
 37.50 Intersected White River & set meander post
 On Right bank, from which
 a Maple 18 in. diam. - bear N 6 E 4 1/2 mi. dist. of
 an Elm 8 " " " S 72 W 20 " "
 Swampy land, W. Ash, Elm, Maple, Oak,
 Sycamore &c.

North Between Sec. 8 & 9

40.00 Set of Sec. post, from which
 an Elm 10 in. diam. - bear N 7 E 8 1/2 mi. dist. of
 a Do. 10 " " " " N 86 W 24 " "
 60.00 enter a Cypress Swamp
 64.25 a Maple 20 in. diam.
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Maple 12 in. diam. - bear S 40 E 2 1/2 mi. dist. of
 an Ash 22 " " " " N 20 W 12 " "
 Over low Swampy land, timber Ash, Elm
 Maple &c.

East Between Sec. 4 & 9, Random line

8.00 to a Pond
 16.00 through the pond
 40.00 Set temp. of Sec. post in Swamp
 53.00 through the Cedar Swamp
 66.00 enter Barren
 80.20 Intersected N & S. line at the post
 (no corrected line)

North Between Sec. 4 & 5

40.00 Set of Sec. post, from which
 a Maple 14 in. diam. - bear N 84 E 14 1/2 mi. dist. of
 a S. Gum 12 " " " " N 52 W 16 " "
 56.60 a Sycamore 24 " "
 81.00 Set temp. post. Could find no line
 This mile Swamp, timber Ash, Maple
 Elm, Cypress &c.

St. R. W. D. Mer. Indiana

ch. l. h.

West Between Sec. 8 & 17

8.00 to improvement in Open prairie

40.00 Set of Sec. post no bearing trees

66.00 to rich timber land

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
an Elm 21 in. diam. - beam N 56 E 16 lh. dist. of
a W. Ash 8 " " " N 65 W 22 "
Ash, Oak, Elm, Maple &c, under Spruce

South Between Sec. 17 & 18

21.81 a W. Ash 10 in. diam.

40.00 Set of Sec. post, from which
a W. Ash 12 in. diam. - beam N 76 E 16 lh. dist. of
a Do. 8 " " " N 76 W 10 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a W. Ash 42 in. diam. - beam N 31 W 16 lh. dist. of
a Sugar tree 8 " " " N 46 E 60 " "

This mile rich level land, timber Elm, W. Ash,
Lynn, Mulberry, Sugar &c. under Spruce, birch
&c.

East Between Sec. 17 & 20

18.00 enter Broken land

27.09 a Lynn 18 in. diam.

33.28 Intersected the Right bank of White River
no trees near

Rich bottom, upland Sugar tree, W. Ash, Lynn,
Locust, Elm &c. under Spruce. Jan 18th 1807

North Between Sec. 7 & 8

21.08 a Maple 24 in. diam.

40.00 Set of Sec. post, from which
a Beech 9 N 38 W 20 lh. & a Mulberry 6 N 36 E 5 lh.

67.34 a Gum 21 in. diam.

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Maple 18 in. diam. - beam N 76 W 29 lh. dist. of

S. N. R. 10 N. 2. Mer. Ind.

Ch. 1/4 mi.

a Gum 21 in. diam. bear S 16 E 31 km. dist.
 1/2 mile low wet land, timber Elm, Ash
 Gum, Maple & underg^g. Spruce & Greenbrier

East On Rand^m between Sec. 5 & 8

33.00 Ash Elm & Cypress Swamp

40.00 Set temp^g. of Sec. post

79.63 Intersected the N. S. line 30 km. S. of post
 Over low wet land timber Ash, Elm &c.

West On true line between Sec. 5 & 8

39.81 Set g^r. Sec. post at average dist. from which
 a W. Ash 12 in. diam. bear N 83 W. 06 km. dist.

a Cypress 9 " " " S 83 E 17 " "

79.68 to Sec. Corner.

North Between Sec. 5 & 6

33.03 a Poplar 24 in. diam.

40.00 Set g^r. Sec. post, from which

a Hornbeam 6 in. diam. bear N 3 W 25 km. dist.

a Hickory 18 " " " S 65 E 42 " "

56.12 ay Elm 18 " "

82.63 Intersected the N. boundary 454 E. of post

Set post Cor. to Sec. 5 & 6, from which

a Sycamore 14 in. diam. bear S 10 W 25 km. dist.

a Gum 12 " " " S 26 E 6 " "

First 1/2 mile rich level land, Sugar, Gum,

Poplar &c. - underg^g. Spruce, birch, vine &c. last 1/2

swampy land. Ash, Elm, Gum, Sugar &c.

West Between Sec. 6 & 7

21.60 a Gum 14 in. diam.

40.00 Set g^r. Sec. post, from which

a W. Ash 8 in. diam. bear N 78 E 7 km. dist.

a J. Oak 15 " " " N 61 W 26 " "

74.60 Intersected W. Boundary 182 km. N. of post

N. N. R 10 W. 2^d Mer. Indiana
S. E. 1/4

Set post Cor. to Sec. 6 of 7, from which
a S. Oak 20 in. diam. beam N 31 E 20 lns. dist. of
a W. Ash 20 " " " S 67 W 41 "
Low swampy land, Ash, Elm, Maple
Oak, Sycamore &c.

West Between Sec. 7 of 18

40.00 Set of Sec. post, from which
a Maple 10 in. diam. beam S 41 E 16 lns. dist. of
a W. Ash 18 " " " N 25 E 17 "
75.34 Intersected the W. Boundary 97 lns. S. of post
Set post Cor. to Sec. 7 of 18, from which
a Gum 8 in. diam. beam S 33 E 33 lns. dist. of
an Elm 20 " " " S 26 W 16 "
Over 2^d rate land, timber Elm, Gum, W. Ash
Hickory, Mulberry &c. under ^{the} spice grape vines
to June 1st 1807

West Between Sec. 18 of 19

15.13 a Sugar 21 in. diam.
35.20 a gum 6 lns. wide Course of N. W.
40.00 Set of Sec. post, from which
a Gum 13 in. diam. beam S 43 W 24 lns. dist. of
a Hickory 8 " " " N 70 E 20 "
55.95 a Hackberry 12 in. diam.
76.33 Intersected the W. Boundary 184 lns. N. of post
Set post Cor. to Sec. 18 of 19, from which
a Sugar 15 in. diam. beam S 51 E 5 lns. dist. of
a Do. 8 " " " N 47 W 11 "
Land 1st rate, gently uneven, Sugar, Gum
Elm, W. Ash, under ^{the} pawpaw, spice &c.

South Between Sec. 19 of 20

13.45 a Poplar 48 in. diam.
40.00 Set of Sec. post, from which
a Dogwood 6 in. diam. beam S 70 W 5 1/2 lns. dist. of

St. R. 10 N. 2. E. Sec. 19, 20, 29 & 30, Ind.

Ch. 1. 1/2 mi.

- Ash 10 in. diam. beam N 20 E 6 lks. dist.
 54.00 a flooded river bottom Ash, Elm, Maple &c
 62.97 an Ash 15 in. diam.
 80.00 Set post cor. to Sec. 19, 20, 29 & 30, from which
 a Honey Locust 22 in. diam. beam N 23 E 23 lks. dist.
 a Lynn 10 " " " N 31 W 13 " "

South Between Sec. 19 & 30

- 14.50 Set post on Right bank of River from which
 a Maple 14 in. diam. beam N 35 W 13 lks. dist.
 a Do 18 " " " N 43 E 11 " "
 Low flooded bottom, timber Ash, Elm
 Maple &c.

West Between Sec. 19 & 30

- 40.00 Set gr. Sec. post, from which
 an Ash 14 in. diam. beam N 26 E 6 lks. dist.
 an Elm 16 " " " N 36 E 24 " "
 62.30 Set meander post on Right bank of White
 River, from which
 a Maple 5 in. diam. beam N 30 E 2 lks. dist.
 a Do. 8 " " " N 15 E 18 " "
 Low Bottom land, Elm, Maple, Sycamore
 Lynn &c.

East Between Sec. 20 & 29

- 25.24 a Hoop Ash 15 in. diam.
 40.00 Set gr. Sec. post, from which
 a Hickory 12 in. diam. beam N 27 W 21 lks. dist.
 a Do. 9 " " " N 15 W 41 " "
 49.50 Crossed road to Hazelton's ferry
 66.78 an Elm 20 in. diam.
 70.20 Set post on Right bank of river, from which
 a Mulberry 7 in. diam. beam N 47 W 10 lks. dist.
 an Elm 30 " " " N 3 E 26 " "
 Mostly low bottom land, Elm, Angar, Mulberry, Ash &c.

398

S. N. R. W. D. Mer. Ind.

| Course | Distance | Meaning of the Right Bank of White River, from post on line between Sec. 13 & 14, thence up stream |
|------------|----------|--|
| N 73 E | 19.00 | mi Sec. 13. |
| N 62 E | 9.00 | at 6.00 Dickin's Ferry |
| N 56 E | 5.00 | |
| N 45 E | 5.00 | |
| N 40 E | 5.00 | |
| N 25 E | 4.50 | |
| North | 4.50 | |
| N 11 W | 7.50 | |
| N 5 W | 23.00 | |
| N 3 3/4 E | 12.15 | to line between Sec. 12 & 13 |
| N 13 W | 8.00 | mi Sec. 12 |
| N 3 W | 9.00 | |
| N 20 E | 5.00 | |
| N 35 E | 5.00 | |
| N 45 E | 5.00 | |
| N 55 E | 5.50 | |
| N 80 E | 3.00 | at 25 th, a run 15 th, wide from North |
| N 55 E | 4.50 | |
| East | 10.00 | |
| S 80 E | 9.50 | |
| S 85 E | 13.00 | |
| N 73 3/4 E | 5.70 | to post in E. boundary of township |
| N 40 E | 5.00 | From post on line between Sec. 14 & 23 mi Sec. 14 |
| N 60 E | 7.00 | |
| N 76 1/2 E | 10.88 | to line between Sec. 13 & 14, June 18. 1807 |
| | | From post on line between Sec. 14 & 23 Thence down stream |
| S 40 W | 10.00 | mi Sec. 23 |

398

St. R. 10 W. 2^d Mer. Indiana

Course distance

S25⁴N 2.50

S27⁴N 5.00

S15⁴N 5.00

S23⁴N 7.50

S18⁴N 3.50

S26⁴N 4.50

S26⁴N 10.00

S46⁴N 8.00

S55⁴N 5.00

S64⁴N 6.00

S75⁴N 7.00

West 5.50

S75⁴N 5.50

S70⁴N 4.00

N70⁴N 3.13 to line between Secs. 22 & 23

N70⁴N 6.50 in Sec. 22

N60⁴N 5.00

N55⁴N 6.00

N49⁴N 10.00

N60⁴N 12.30

N63⁴N 7.00

N81⁴N 8.50

N85⁴N 7.50

West 5.50

S80⁴N 14.00

S70⁴N 5.00

S50⁴N 9.70

to line between Secs. 21 & 22

S50⁴N 1.30 in Sec. 21

S65⁴N 5.00

S56⁴N 18.50

S73⁴N 7.00

N70⁴N 6.00

N55⁴N 7.00

N45⁴N 4.50

offset 150 lbs.

S. N. R 10 W. 2nd Mer. Indiana

| Course | Distance | |
|--------|----------|---------------------------------------|
| N 30 W | 4.00 | |
| N 18 W | 3.50 | |
| North | 3.00 | |
| N 10 E | 2.50 | |
| N 20 E | 5.50 | |
| N 25 E | 5.00 | |
| N 30 E | 8.00 | |
| N 25 E | 17.50 | to line between Sec. 16 & 21 |
| N 18 W | 2.00 | in Sec. 16 S. N. R 10 W |
| N 24 W | 5.00 | |
| N 32 W | 5.00 | |
| N 21 W | 12.00 | |
| N 30 W | 6.50 | |
| N 39 W | 4.50 | |
| N 50 W | 5.00 | |
| N 60 W | 7.00 | |
| N 63 W | 8.00 | a Widow Decker's Ferry |
| N 81 W | 9.00 | |
| N 89 W | 9.09 | to line between Sec. 16 & 17 |
| N 89 W | 10.00 | in Sec 17 |
| S 80 W | 9.00 | |
| S 69 W | 12.50 | |
| S 58 W | 5.50 | |
| S 40 W | 14.50 | |
| S 25 W | 6.00 | |
| S 11 W | 6.00 | |
| S 2 E | 4.50 | |
| S 14 E | 4.50 | |
| S 23 E | 2.37 | to line between Sec. 17 & 20 |
| S 21 E | 12.00 | in Sec. 20 June 17 th 1807 |
| S 13 E | 6.00 | |
| S 7 E | 15.00 | |
| S 25 E | 10.00 | |

S. N. R. W. 2^d Mer. Ind.

course, distance

S 37 E 14.00

S 45 E 16.00

S 38 E 5.50

S 28 E 3.50

S 10 E 5.50

S 44 W 4.82 to line between Sec. 20 & 29

S 20 N 5.00 in Sec. 29

S 42 N 3.50

S 60 N 5.50

S 68 N 6.00

S 72 N 3.00

S 77 N 19.00 at 500 Hogstons Ferry

West 17.00

N 85 N 7.00

N 78 N 11.14 to line between Sec. 29 & 30

N 75 N 8.50 in Sec. 30

N 85 N 10.00

N 80 N 8.00 June 20. 1879

S 70 N 3.00

S 80 N 8.50

West 11.20

N 65 N 3.00

N 45 N 3.00

N 38 N 8.50

N 32 N 3.00

N 18 N 5.93 to line between Sec. 19 & 30

N 14 N 2.50 in Sec 19

N 6 E 6.50

N 14 E 8.00

N 18 E 11.50

N 10 N 5.00

N 42 N 5.50

N 60 N 3.50

N. N. P. W. 2^d Mer. Indiana

Courses distances

N 68^W 6.50

N 80^W 5.50 to N. Boundary of Sec. 19

June 21st 1807. Land. Sullivan, D.S.

Meanders of the Left bank of
White River - from post in West
Boundary, thence upstream

S 82^{1/2} E 4.80 in Sec. 19 Cane brake

S 33^{1/2} E 3.68

S 1^{1/2} E 3.23

S 8^{1/2} W 3.44

S 12^{1/2} W 2.75

S 1^{1/2} W 2.13

S 5^W 3.07

S 7^W 6.05

S 6^{1/2} W 3.05

S 7^{1/2} W 2.70

S 2^{1/2} E 2.18 to line between Sec. 19 & 30

S 4^E 3.30 in Sec 30

S 10^{1/2} E 3.71

S 11^{1/2} E 4.70

S 37^{1/2} E 5.00

S 39^{1/2} E 7.35

S 43^{1/2} E 6.03

S 61^{1/2} E 2.74

S 65^E 4.55 out of Cane Brake

S 75^E 8.61

S 89^E 6.02

S 82^{1/2} E 8.18 at 100 lks. Military land

S 72^E 8.07

S 72^E 12.32

S 82^E 5.38

S 75^E 16.00

S 88^E 13.40

S 81^{1/2} E 13.30 at 450 Cor. to Military - at 12.00 creek
6 lks. wide -

S. N. R. W. 2^d. Mr. Indiana

| Course | distance | |
|--|----------|---------------------------------------|
| N 72 1/2 E | 6.83 | |
| N 67 E | 5.50 | |
| N 74 E | 5.98 | |
| N 76 E | 4.62 | |
| N 68 E | 5.96 | Nov. 11 th 1874 |
| N 56 E | 6.70 | |
| N 56 1/4 E | 6.62 | |
| N 30 E | 3.77 | to line between Sec. 28 & 29 |
| <hr/> | | |
| N 27 1/2 E | 4.90 | mi Sec. 28 |
| N 9 1/2 E | 3.37 | to line between Sec. 21 & 28 |
| <hr/> | | |
| North | 5.17 | mi Sec. 21, 20, 17 & 16 |
| N 17 1/2 W | 7.37 | |
| N 38 1/2 W | 7.30 | |
| N 45 1/2 W | 4.72 | |
| N 40 W | 5.60 | |
| N 32 W | 4.76 | |
| N 41 W | 12.09 | |
| N 35 W | 4.00 | |
| N 31 1/2 W | 5.53 | |
| N 27 W | 5.90 | |
| N 17 W | 3.12 | |
| N 16 W | 4.70 | |
| N 16 W | 4.16 | |
| N 17 1/2 W | 3.59 | |
| N 17 W | 17.56 | |
| N 7 E | 12.55 | |
| N 35 E | 8.83 | |
| N 66 1/2 E | 5.11 | |
| N 76 E | 4.67 | |
| N 72 1/2 E | 12.63 | |
| N 85 1/2 E | 11.33 | |
| N 83 E | 12.12 | opposite old station tree near N 77 E |
| N 64 E | 14.55 | same tree near N 79 E |
| The above station is on line betw. 16 & 17 | | |

This large bend overflows bottom

S. N. R. W. 2nd Mer. Ind.

403

| course | ch. lth | |
|------------|---------|---|
| S 47 E | 8.50 | |
| S 28 E | 6.62 | |
| S 23 E | 5.38 | |
| S 17 E | 7.95 | |
| S 6 W | 7.55 | |
| S 28 1/2 W | 4.76 | |
| S 34 W | 4.25 | |
| S 32 W | 4.58 | |
| S 37 W | 3.80 | |
| S 25 W | 3.25 | |
| S 17 1/2 W | 4.12 | |
| S 13 W | 4.08 | |
| S 3 W | 4.34 | |
| S 7 1/2 E | 4.28 | |
| S 20 1/2 E | 4.25 | Mouth of Bayou |
| S 15 E | 3.24 | |
| S 27 E | 4.90 | Several Bayous |
| S 43 3/4 E | 3.97 | |
| S 52 E | 4.26 | |
| S 64 1/2 E | 5.26 | |
| S 70 1/2 E | 6.63 | |
| S 77 E | 5.75 | at 3.25 old Cor. of Survey E. a line |
| N 84 E | 6.20 | |
| N 51 E | 4.24 | |
| N 73 E | 3.00 | |
| N 33 E | 5.60 | |
| N 54 1/4 E | 13.70 | to line between Sec. 21 & 22 - is 70 lth. South |
| N 54 1/4 E | 10.12 | in Sec. 22 |
| N 84 1/2 E | 18.32 | this light on sand bar 200 from bank |
| S 63 E | 4.87 | on the Bank |
| S 75 1/4 E | 3.90 | |
| S 55 1/2 E | 5.22 | |
| S 66 E | 3.26 | |
| S 52 1/4 E | 4.89 | |
| S 51 1/4 E | 3.05 | |

S. N. R. 109. 2^d. Mer. Indiana

| comary | distance | |
|---------------------|----------|------------------------------|
| S56 $\frac{1}{4}$ E | 3.20 | |
| S56E | 3.56 | |
| S58 $\frac{1}{2}$ E | 4.33 | |
| S64E | 3.33 | |
| S65 $\frac{1}{2}$ E | 4.86 | a Bayou |
| S62E | 4.39 | |
| S72 $\frac{1}{2}$ E | 3.95 | |
| S79E | 3.64 | |
| S74 $\frac{1}{2}$ E | 3.66 | to line between Sec. 22 & 23 |

| | | |
|---------------------|-------|--------------------------------|
| S83 $\frac{1}{2}$ E | 3.45 | in Sec. 23. (a Bayou) |
| S82 $\frac{1}{2}$ E | 3.66 | |
| S87E | 2.50 | |
| N81 $\frac{1}{4}$ E | 3.29 | |
| N80E | 4.21 | a Bayou |
| N77 $\frac{3}{4}$ E | 2.85 | |
| N72 $\frac{1}{2}$ E | 7.59 | |
| N63 $\frac{1}{4}$ E | 11.55 | |
| N48 $\frac{3}{4}$ E | 4.95 | |
| N39 $\frac{3}{4}$ E | 12.24 | |
| N32 $\frac{3}{4}$ E | 3.34 | |
| N26E | 6.63 | |
| N12 $\frac{1}{4}$ E | 4.94 | |
| North | 5.38 | on sand bar 200 lms. from bank |
| N31 $\frac{1}{4}$ E | 20.97 | |
| N54 $\frac{3}{4}$ E | 8.90 | on Bank |
| N56 $\frac{1}{2}$ E | 6.18 | |
| N61E | 3.70 | to line between Sec. 23 & 24 |

| | | |
|---------------------|-------|------------------------------|
| N62E | 1.34 | to line between Sec. 13 & 24 |
| N74E | 13.27 | in Sec. 13 |
| N67 $\frac{3}{4}$ E | 8.26 | |
| N58 $\frac{1}{4}$ E | 7.60 | Mr. Joseph Decker's Ferry |
| N51 $\frac{1}{2}$ E | 6.05 | at 100 lms. a run from S. E. |
| N51 $\frac{1}{2}$ E | 5.26 | |
| N53E | 5.23 | |

T. N. R. 10 N. 2^d Mer. Indiana

Course distances
 N 31 1/4 E 4.94 high land
 N 24 E 8.60 low land
 N 11 W 12.71 at 400 lks. a creek 50 lks. from E.
 N 12 1/2 W 7.74
 N 11 1/2 W 5.98
 N 9 1/2 W 4.56
 N 6 1/2 W 7.47
 North 2.81
 N 4 1/2 W 4.46 to line between Sec. 12 & 13

N 8 W 4.53 in Sec. 12

N 8 1/2 W 4.58

N 12 1/2 W 5.63

N 28 E 4.16

N 65 E 3.60

N 85 E 5.20

N 67 E 3.47

N 60 E 3.50

N 60 E 4.28

N 68 E 3.86

N 79 1/2 E 3.75

N 88 E 5.00

N 74 3/4 E 3.08

N 73 E 3.68

N 53 E 2.19 to E. boundary of T. N. R. 10 W

width of River 11.44

Surveyed in 1844 by E. Buckingham
 Dep. Sur.

I Certify that the foregoing transcript of
 field notes of Township N. N. Range 10 West
 2^d Mer. Indiana, has been compared with the
 Original notes in this Office & found to be correct.
 Surveyor General's Office
 Cincinnati, Sept. 9, 1845 William Johnston
 Dep. Genl.